

# **C H A R L I E ' S**

---

## **MACHINE & SUPPLY, INC.**



## **FRESH CUT FOOD MACHINERY**

**2011 - 2012**

**[www.charliesmachineandsupply.com](http://www.charliesmachineandsupply.com)**

## PROCESSING MACHINERY FOR ALL YOUR FRESH CUT FRUIT AND VEGETABLE PROCESSING NEEDS

### Metal Detector

This Metal Detector is designed to meet your product specification to detect metal contaminants. This is one of the better Metal Detectors that we have come across in a long time. It can be custom designed to fit your needs. See a demo on our video on our website at [www.charliesmachineandsupply.com](http://www.charliesmachineandsupply.com).

#### Performance and characteristics:

Various measures for anti-interference, like noises and outside interferences.

Large screen display, easier to operate.

all-stainless steel framework, IP65, in line with the hygiene requirements.

Workable in dry or wet environment, applicable for automatically detecting different products.

#### Features:

- 10 kinds of products can be stored in memory
- 2 kinds of screen language
- Self-diagnosis, automatic shut down on fault condition.
- Optional output alarm,
- Easily-connects with other equipment
- Sound and light alarm
- Conveyor belt stop alarm

**CALL FOR QUOTE**



**SMALL  
MACHINES  
DOING BIG JOBS  
AND BIG  
MACHINES AT  
SMALL PRICES**

**Peeling, slicing, dicing, wedging, washing and chilling, drying, conveyors, chlorination systems weighing, packaging and sealing.**

**Custom Build - New - Used Equipment**

FOR ORDERS  
or INFORMATION CALL

800-786-8455

For the Southeast CALL John  
770-287-0951  
888-423-7086

For the Midwest CALL Charlie "T"  
303-682-2895  
800-422-0694

2525 Arapahoe Av  
Boulder, CO 80302  
303-443-9595

Fax: 303-443-7474

Email:

info@charliesmachineandsupply.com

Check out our Website:

FOR MORE EQUIPMENT & VIDEO DEMOS  
www.charliesmachineandsupply.com



Charlie



Charlie T



Janice



John

**Charlie's Machine & Supply Inc. (CMS)** was founded in 1995 by Charlie Boggs. Since then his brother John, Charlie "T".Janice and Steven (not pictured) have joined **CMS** in becoming a nationwide leader in the distribution and manufacturing of **fresh cut food** processing equipment.

Our goal at **CMS** is to understand your specialized processing applications. We are there every step of the way to insure that your needs are met by the **quality equipment we produce**, by our **labor saving designs** and by our **food safety technology**.

Table of Contents

<b>Peel, Wedge &amp; Chunk Manual</b>	<b>2-3</b>
Carrot / Cucumber Peeler	
Melon Peeler	
Lettuce Chopper/Fruit Chunker	
Delux Tomato Slicer	
Brick Stick Pack	
<b>Accessories</b>	<b>4</b>
Butternut Squash De-Seeder	
Orange Ring Cutter	
Knives	
<b>Vegetable &amp; Fruit - Peel, Cut, Slice</b>	<b>5-6</b>
Onion Top & Tail - Manual	
Onion Slicer	
Scales	
Air-Driven Dual Stick Cutter	
Block Cutter	
Pepper Corer	
<b>Pineapples &amp; Apples</b>	<b>7-9</b>
Pineapple Peeler - Manual	
Pineapple Slicer	
Pineapple Peeler/Corer	
Apple Peel, Wedge & Core-Electric	
Multi 2000 (Apples, Tomatos and more)	
Multi 1000 (Apples, Tomatos and more)	
<b>Slice, Dice &amp; Wedge, Cut, Core</b>	<b>10-13</b>
Vegetable Slicer & Dicer (see pg 9)	
Multi-Use Hand Cutters & Blades	
Industrial Food Processors & Blades	
<b>Potatos, Broccoli &amp; Onions.</b>	<b>14-17</b>
Batch Abrasive Potato Peeler	
60 lb. Abrasive Batch Peeler	
Potato Peeler	
air-driven Broccoli Floretter, Stand & Conveyor	
Onion Carousel Slicer - Dual & Single Blade	
Onion Top & Tail Processor	
Onion Peeler	
Onion Top & Tail with Onion Peeler System	
<b>Wash &amp; Chill.</b>	<b>18-20</b>
Jr. Melon & Fruit Washer	
Barrel Washer	
Soak Tank	
Vegetable & Fruit Wash	
Single Washer	
Spray & Wash Conveyor	
Jr. Double Wash	
<b>Dryers.</b>	<b>21</b>
Continuous Feed Air Knife Drying Conveyor	
Industrial Food Dryer	
Veg Dryer	
<b>Chlorination System.</b>	<b>22</b>
Klorman Chlorine Dispenser	
Automated Chlorination Flume Systems	
Water Reclamation Filtration System	
<b>Pack Tables, Conveyors and Scales</b>	<b>23-24</b>
Pack Table w/ Digital Scales	
Conveyors	
14 Head Automatic Scale	
Vertical Form Fill Seal Bagger	
<b>Sealers &amp; Detectors.</b>	<b>Inside Back Cover</b>
Model 6000 Band Sealer with Conveyor	
Metal Detector	



## Carrot/Cucumber Peeler

Is a complete carrot peeler system that reduces peeling time by up to **85%** on most carrots.

### Features:

**Price \$ 260.00**

- Peels 30 lbs. of carrots in less than 10 minutes
- Prevents expensive waste
- Simple to operate
- Excellent quality, dependable
- Replacement blades available

### COMPLETE WITH WALL BRACKET

Model No.	Description	Ship Wt (lbs.)	Price
601564	Standard Carrot	3	\$ 260.00
601565	Large Carrot	3	\$ 260.00

### COMPLETE BLADE ASSEMBLIES

Model No.	Description	Ship Wt (lbs.)	Price
653635	Standard Carrot	3	\$ 232.00
653659	Large Carrot	3	\$ 232.00

### REPLACEMENT KNIFE SETS

Model No.	Description	Ship Wt (lbs.)	Price
653636	Standard Carrot	3	\$ 114.00
653637	Large Carrot	3	\$ 114.00



### ACCESSORIES / PARTS

Model No.	Description	Price
653640	Counter Stand	\$ 140.00
653641	Swing Arms - (Set of 6)	\$ 78.00
653642	Springs - (Set of 6)	\$ 26.00
653639	Wall bracket	\$ 42.00

## Melon Peeler

Peels cantaloupe, honeydew and similar melons in a matter of seconds, producing smooth-shaped melon "bowls". Works on melons sized from No. 5 to No. 23 count.

**Includes 2 interchangeable peeling knives, seed scooper, cleaning brush and training video.**

**Price \$ 1495.00**

### Features:

- Increase yield of edible fruit up to 10%
- Improve fruit presentation with perfectly sculpted melon halves
- Simple to operate, easy to clean
- 3 to 6 melons per minute
- Watermelon Peeler also available



### SPECIFICATIONS

Model No.	Dimensions H x W x D	Ship Wt. (lbs.)
UPM-100	17 1/2" x 20" x 21 1/2"	35

### REPLACEMENT BLADES

Model No.	Size	Price
2300128	Large	\$ 425.00
2300207	Small	\$ 270.00

## Lettuce Chopper/Fruit Chunker

In one single swift motion, the Lettuce Chopper/Fruit Chunker cuts or slices whole heads of lettuce into uniform pieces and handles melons the same way. **Up to 50 heads in 5 minutes without bruising or waste.** Frame is stainless steel. Choose between 1" squares or 1" slices. **Includes one upper and lower blade.**

**Price \$ 895.00**

SPECIFICATIONS		
Model No.	Dimensions H x W x D	Ship Wt. (lbs.)
SKK2	27" x 17" x 17"	26

REPLACEMENT BLADE		
Model No.	Size	Price
25506	Upper	\$ 267.00
25507	Lower	\$ 267.00

**HEAVY  
DUTY!**  
**Perfect  
for Fruit  
Chunking**




## Deluxe Tomato Slicer

Cuts tomatoes into perfect slices keeping their original shape. Made of stainless steel and aluminum - unique micro tooth blades provide precision cuts on even soft tomatoes. Simply place tomatoes on the cradle and pull the lever. Replacement blades available. Can slice up to 20 tomatoes per minute. **1/4" - 11 slices.**

### Features:

- Stainless steel "Micro-Saw" blades
- Easy to operate & clean
- Replacement blades available
- Non-skid food pads prevent movement
- Safety design avoids easy blade contact

**Price \$ 670.00**



SPECIFICATIONS		
Model No.	Dimensions H x W x D	Ship Wt. (lbs.)
601443	5 11/16" x 16 13/16" x 9 7/16"	9

## Brick Stick Pack

Easy and simple way to "brick" pack celery and carrots. To operate, load product and sort in tray, pull bag over tray and slide product into bag, then slide bag off tray to create the brick pack. Custom built to fit your product.

### Features:

- Stainless steel
- Easy to operate & clean
- Fits onto Countertop
- Adjustable legs

**CALL FOR QUOTE**



**CALL 800-786-8455 or E-mail [info@charliesmachineandsupply.com](mailto:info@charliesmachineandsupply.com)**

## BUTTERNUT SQUASH DE-SEEDER

Make short work of "seeding" squash with this de-seeder. It's "U" shape design makes it easy to remove the seed cluster. Cut squash in half and with one swift scooping motion this squash deseeder has made a time consuming job efficient. **De-seeder available in 3 1/2"**

### Features:

- Stainless Steel blade & handle
- Hand-crafted in the USA
- 6" Handle - Total Length 11" (3 1/2")

**Price \$ 55.00**



## ACCESSORIES



## ORANGE RING CUTTER

Slice orange; place slice under ring cutter; press down and lift up. Orange slice is peeled and rind-free, creating the perfect orange ring. Saves labor while reducing fruit texture damage and juice losses. **2 1/2" Core**

**Price \$ 89.00**

### Features:

- Stainless Steel blade & handle
- Hand-crafted in the USA
- 5" Tube Length

## KNIVES

Here is a sampling of our everyday processing knife line. Ask what else we have available and what we can create for you.

### Features:

- Stainless Steel Blades
- Plastic Handles
- Hand-crafted in the USA
- Top of the line quality



### Pitting Spoons

**Item 2PTSS - \$ 7.50 ea**  
**Item 7PTSS - \$ 7.50 ea**  
**Item 3PTSS - \$ 7.50 ea**



**Paring Knife**


**Items 130S - \$ 3.99**



**Item 42S 3 3/4"**

**Item 44S 2 1/4"**

**Trim Knives - \$ 3.95 ea**



**Model 23S**

**Model 20S**

**Potato Knives - Item 20S - 1/2" x 2 1/2"**  
**Potato Knives - Item 23S - 1 3/8" x 2 1/2"**  
**\$ 4.50 ea**



**Lettuce Knife - Item 412S - \$ 6.35 ea**  
**Broccoli Knife - Item 413S - \$ 6.35 ea**  
**6" Butcher Knife - Item OC0076 - \$ 7.90 ea**  
**(8", 10", 12", 14" in available)**




## Onion Top and Tail-Manual

This "V" shaped blade head allows onions to be topped and tailed. Slide through to cut the top - turn onion over slide through again to cut the bottom. Control cut from 1/2 to 3/8". Easily sits on a barrel (not included) Replacement knife available. Model No. ON-TTM

**Price \$ 487.00**

**See page 16 for more onion equipment**



## Onion Slicer-Manual

Slices perfect onions without crushing or bruising them. It also slices potatoes for cottage fries, squash, lemons, limes, oranges and other firm vegetables and fruits. Blade sizes 3/16", 1/4", 3/8" or 1/2" cut for jumbo onions. Model No. NEMOS

**Price \$ 425.00**

## Air-Driven Dual Stick Cutter

Uses the same blades as our Manual Hand Cutter (pg. 11), except the air-driven cutter improves product placement for specific cuts at higher 'air-driven' speed. To operate, open the Lexan door and place product in the V-shaped trough. When the door is closed, air automatically pushes the product through blades for precise cuts. Stand not included. **Includes blade and pusher set. CALL FOR QUOTE**



### SPECIFICATIONS

Model No.	Air Requirements	Dimensions H x W x D	Ship Wt. (lbs.)
AD-DSC	30 cycles 100 p.s.i. 16 c.f.m.	23" x 12 1/2" x 20"	60



## Scales

Made for hard and rugged use in your processing room. We carry scales for all your weighing needs from 1 gram to 5,000 lbs.


**CALL FOR QUOTE**



## Block Cutter-Manual

This manual increment cutter is lightweight and perfect for those small jobs that require precision length cuts every time. Easy to clean and store-away. Segmenting celery, carrots, squash and other long root and leafy **vegetables into uniform lengths with one swift pull-down.** Our standard size is 4" or can be custom made to your required length. Replacement blades available.

**Price \$ 795.00**



SPECIFICATIONS		
Model No.	Dimensions H x W x D	Ship Wt. (lbs.)
GER-BC	4 1/2" x 16" x 18"	10

## Pepper Corer


Manual pepper corer is an easy and simple way to CORE and SEED peppers. Place Pepper Corer over a standard size brute container; push down and twist; core and seeds waste drop through the corer tube into brute. Available with two (2) or three (3) Corer Blades. The stainless steel core cylinder measures 2"D. Custom sizing is available.

### Features:


- Stainless steel Coring blades
- Mounts on top of Brute container
- Two Blades for Faster Cutting
- 2" Diameter Cut or Custom Size
- Made in the USA

**Price - 2-Hole \$ 425.00**

SPECIFICATIONS	
Model No.	Ship Wt. (lbs.)
PCOR2	12



**Price 3-Hole \$696.00**





## Pineapple Peeler - Manual

Top and tail pineapple, place under the pusher and pull down. It cores and peels at the same time, giving you **perfectly peeled pineapples**. Available blades and pushers 3", 3 1/2" & 4".

**Includes a 3 1/2" peeling/coring blade & pusher.**

### Features:

- Peels and cores in one movement
- Clean and dismantle blade and pusher without tools
- Stainless steel construction

**Price \$ 1295.00**

SPECIFICATIONS		
Model No.	Dimensions H x W x D	Ship Wt. (lbs.)
601570	28 1/2" x 17 3/4" x 15 1/2"	49



## Pineapple Slicer



Slices to any predetermined width that you require for your application. Simply place your pineapple on the cutting grill and pull down the handle. Serrated holding strips and cutting knives keep the pineapple secure and the cut clean and sharp.

**CALL FOR QUOTE**

### Features:

- Stainless steel construction
- HDPE plastics (grip, base, slide blocks)
- Simple to operate, easy to clean
- 4 leg mount to HDPE base

SPECIFICATIONS		
Model No.	Dimensions H x W x D	Ship Wt. (lbs.)
PPSlice	22" x 18" x 9"	22



## Pineapple Table-Top Tube Corer/Peeler

Cut the ends of the pineapple by hand, or with our manual Pineapple Top & Tailer (pictured to the right), place at base, pull handle down. Pineapple is "tubed" cored and peeled at the same time, for a perfectly peeled pineapple. Three cutting assemblies are available 3", 3 1/2" 4". **Model No. PPTCP**

**CALL FOR QUOTE**



## Apple Peel, Wedge & Core-Electric

This is a complete apple peeling and slicing machine. Stainless Steel. Easy to use and made to **peel, core, wedge, and slice all types of apples. Wedge and core sizes include 2, 4, 8, 16 (20MM OR 23MM CORE)**

**CALL FOR QUOTE**

### Features:

- Cuts 12 apples per minute
- 144 to 245 lbs. per hour
- Fruit size - 1-1/4" to 3-1/2"
- Easy loading - Easy to maintain



**SELLING USED EQUIPMENT in "GOOD CONDITION"**

**CALL US**

**NEED USED EQUIPMENT in "GOOD CONDITION"**




## Multi 2000 - Electric

Is a smart cutting system for both fruits and vegetables. The quick blade change feature allows you to wedge/core apples, slice tomatoes, and wedge citrus all in a single 8-hour shift. The optional conveyor belt discharges neatly stacked slices for easy packing and is easily removed for cleaning. Cam action provides constant pressure, which results in precision cutting.

### Features:

- Up to 40 pieces per minute
- Reversing switch for cutting head
- Cuts: slice wedge, wedge/core and stick
- Double palm button operation for safety
- Easy blade change
- Conveyor in 1 meter or 2 meter lengths

**CALL FOR QUOTE**



### SPECIFICATIONS

Model No.	Power Requirements Electrical	Dimensions H x W x D	Ship Wt. (lbs.)
APMNS-E	230V 3 phase 1/2hp	41" x 23" x 19"	141

## Multi 1000 / Multi 1000G

This manual pull-down system - is perfect for slicing, wedging and wedge/core. It is ideal for APPLES, TOMATOES, ONIONS. The Multi-1000G incorporates heavy duty blades for larger cuts and is an ideal system for peeling, coring and cutting pineapples. Divider pan sold separate. Core only version also available.


### Features:

- Cuts 24 pieces per minute
- Easy to change blades
- Stainless steel construction

**CALL FOR QUOTE**

BLADES CAPABILITIES	
Slice	3/16", 1/4", 3/8"
Wedge	8, 12, 16 segments
Wedge/Core	8, 12, 16, w/30mm
Sticks	3/16", 1/4", 3/8"

SPECIFICATIONS		
Model No.	Dimensions H x W x D	Ship Wt (lbs.)
F1000/G	40" x 17" x 30"	18



## Vegetable Slicer & Dicer

This universal heavy duty slicer/dicer- chops, slices, dices, cubes, shreds and grates vegetables up to **500 lbs. per hour**. The large hopper is designed for high volume slicing and dicing requirements. Stainless steel. **Includes 2 blades - 5/32" Grating Blade and 1/8" Slicing Blade.**

**Price \$ 3095.00**

Blade & Grids	Ref.	Price
Dicing Blades	5/16"	MT08T - 653148 \$237.00
	3/8"	MT10T - 653149 \$237.00
	1/2"	MT12T - 653480 \$237.00
	3/4"	MT20T - 653150 \$237.00
Slicing Blades	1/32"	C1 - 653101 \$232.00
	1/16"	C2 - 653102 \$232.00
	1/8"	C3 - 653103 \$232.00
	1/4"	C6 - 653106 \$232.00
	5/16"	C8 - 653108 \$232.00
	3/8"	C10 - 653110 \$232.00
Julienne Blades	1/16"	AS2 - 653214 \$289.00
	1/8"	AS3 - 653153 \$289.00
	5/32"	AS4 - 653154 \$289.00
Grating Blades	1/16"	J2 - 653162 \$232.00
	1/8"	J3 - 653163 \$232.00
	5/32"	J4 - 653164 \$232.00
	9/32"	J7 - 653167 \$232.00
Wavy Cut	1/8"	C3W - 653123 \$232.00
Serrated Slicing	1/16"	C2C - 653112 \$237.00
	1/8"	C3C - 653113 \$237.00

Not all blades listed.  
Call for  
additional blade information.



SPECIFICATIONS			
Model No.	Power Requirements Electrical	Dimensions H x W x D	Ship Wt. (lbs.)
603356	120v - 1 hp.	10" x 20" x 20"	53

**CALL 800-786-8455 or E-mail [info@charliesmachineandsupply.com](mailto:info@charliesmachineandsupply.com)**



## Multi-Use Hand Cutter

Over the years, there have been many copies, but the Multi-Use Hand Cutter remains the industry's first choice. This durable and low-maintenance design is available for the countertop or wall mounting.

Available with a wide selection of cutting heads and accessories, making it simpler than ever to wedge, cut, dice, julienne, shred, cube or slice fruits, vegetables and cheeses into pieces of various thicknesses and shapes.

**Includes blade head & pusher.**

(See page 13 for pricing of blades and cutting heads.)

### Features:

- Lightweight
- Easy cleaning
- Safe and easy to operate
- Hand pull down plunger

**Price \$ 399.00**



**300 Series**



**The Multi-Use Hand Cutter  
is a reliable & versatile  
work horse.**

**It can:**

**JULIENNE Squash  
SHRED Lettuce  
SLICE Onions  
STICK Carrots & Potatoes  
WEDGE Apples  
and more!**

## Multi-Use Air-Powered Cutter

Perfect for all-purpose processing and pre-cutting of all kinds. Like its hand-operated counterpart, the Multi-Use Air-Powered Cutter can be used on the countertop or wall mounted. It shares all the standard cutting heads with the hand-operated unit. **Includes blade head & pusher.** (See page 13 for pricing of blades and cutting heads.)

### Features:

- Lightweight
- Easy cleaning
- Safe and easy to operate
- Guard rail safety design

**Price \$ 2,950.00**



**400 Series**

## BLADES & PARTS PRICE LIST

### 300 Series - Multi-Use Hand Cutter

Part No.	Description	Price
300	Without Cutting Head/Pusher Block	\$ 305.00
300.1	With 1/8" Head	\$ 430.00
300.2	With 3/16" Head	\$ 399.00
300.3	With 1/4" Head	\$ 399.00
300.4	With 3/8" Head	\$ 399.00
300.5	With 1/2" Head	\$ 399.00
300.6	With 5/8" Head	\$ 399.00
300.A	Slicer 1/8" Plain Blade	\$ 450.00
300.B	Slicer 1/4" Plain Blade	\$ 430.00
300.C	Slicer 3/8" Plain Blade	\$ 410.00
300.D	Slicer 1/2" Plain Blade	\$ 410.00
300.E	Slicer 1/8" Serrated Blade	\$ 505.00
300.F	Slicer 1/4" Serrated Blade	\$ 490.00
300.G	Slicer 3/8" Serrated Blade	\$ 485.00
300.H	Slicer 1/2" Serrated Blade	\$ 486.00
300.W	4 Segment Wedger	\$ 399.00
300.X	6 Segment Wedger	\$ 410.00
300.Y	8 Segment Wedger	\$ 410.00

### 300 Series - CUTTING HEADS

Part No.	Description	Price
220.1	Cutting Head 1/8"	\$ 128.00
220.2	Cutting Head 3/16"	\$ 96.00
220.3	Cutting Head 1/4"	\$ 96.00
220.4	Cutting Head 3/8"	\$ 96.00
220.5	Cutting Head 1/2"	\$ 96.00
220.6	Cutting Head 5/8"	\$ 96.00
220.A	Slicing Heads 1/8" Plain Blade	\$ 146.00
220.B	Slicing Heads 1/4" Plain Blade	\$ 134.00
220.C	Slicing Heads 3/8" Plain Blade	\$ 134.00
220.D	Slicing Heads 1/2" Plain Blade	\$ 134.00
220.E	Slicing Heads 1/8" Serrated Blade	\$ 274.00
220.F	Slicing Heads 1/4" Serrated Blade	\$ 216.00
220.G	Slicing Heads 3/8" Serrated Blade	\$ 204.00
220.H	Slicing Heads 1/2" Serrated Blade	\$ 204.00
220.W	Cutting Head 4 Segment Wedger	\$ 93.00
220.X	Cutting Head 6 Segment Wedger	\$ 96.00
220.Y	Cutting Head 8 Segment Wedger	\$ 105.00



Parts for 400 Series. Call for quote

### 300 Series - BLADES

Part No.	Description	Price
222	Small Blades (dozen pkg.)	\$ 26.00
223.1	Spacer Blades 1/8" (set of 2)	\$ 14.00
223.2	Spacer Blades 3/16" (set of 2)	\$ 14.00
223.3	Spacer Blades 1/4" (set of 2)	\$ 14.00
223.4	Spacer Blades 3/8" (set of 2)	\$ 14.00
223.5	Spacer Blades 1/2" (set of 2)	\$ 14.00
223.6	Spacer Blades 5/8" (set of 2)	\$ 14.00
223.A	Blades Slicing Plain	\$ 8.00
223.E	Blades Slicing Serrated	\$ 19.00
223.W	Blades 4 or 8 Segmented	\$ 15.00
223.X	Blades 6 Segmented (set of 3)	\$ 22.00

### 300 Series - PUSHER BLOCKS

Part No.	Description	Price
200.1	Pusher Block 1/8"	\$ 15.00
200.2	Pusher Block 3/16"	\$ 15.00
200.3	Pusher Block 1/4"	\$ 15.00
200.4	Pusher Block 3/8"	\$ 15.00
200.5	Pusher Block 1/2"	\$ 15.00
200.6	Pusher Block 5/8"	\$ 15.00
200.A	Pusher Block Slicing Flat	\$ 19.00
200.B	Pusher Block Slicing Ridged 1/8"	\$ 19.00
200.C	Pusher Block Slicing Ridged 1/4"	\$ 19.00
200.W	Pusher Block 4 Segment Wedger	\$ 19.00
200.X	Pusher Block 6 Segment Wedger	\$ 19.00
200.Y	Pusher Block 8 Segment Wedger	\$ 19.00

### 300 Series - PARTS

Part No.	Description	Price
10	Repair Kit, Slide Rod	\$ 170.00
20	Screw Bolt and Link Kit	\$ 92.00
30	Link Parts Kit	\$ 42.00
230	Cutting Head Screws (set of 2)	\$ 3.00
241	Set Screws (set of 2)	\$ 3.00
243A	Pusher Block Pins (2)	\$ 5.00
244	Bronze Bearing Kit (set of 2)	\$ 14.00
60	Slide Casting with Bearing	\$ 85.00
246	Link Bearing Block	\$ 12.00
249	Base Casting	\$ 145.00
252	Slide Rods, Stainless Steel (2)	\$ 67.00
253	Handle	\$ 97.00
256	Handle Bolt Assembly	\$ 8.00
251	Knobs (set of 2)	\$ 7.00
70	Spring Rebuild Kit	\$ 8.00
TB 100	Wall Bracket	\$ 289.00

## Industrial Food Processor-5000

Simply the best, largest and most versatile, rugged food processor available under \$15,000. Is designed for fast preparation of large food volumes--up to 5,000 lbs/hr. Slice, dice, shred, grate, julienne and make french fries. Able to process fruit, produce, mushrooms and more. Floor model on wheels.

**CALL FOR QUOTE**

### Features:

- On wheels for easy mobility
- Large feeders eliminate precutting
- More than 35 possible cutting tool variations
- Outstanding safety features
- Easy cleaning - can be hosed down
- Stainless steel and diecast aluminum

### SPECIFICATIONS

Model No.	Power Requirements Electrical & Motor	Dimensions H x W x D	Ship Wt. (lbs.)
3002	220-240v 3ph 60hz 2hp - 2-speed 200/400rpm	66 1/2" x 27" x 39 3/4"	300

### 6-Tool Pack bought with Industrial Food Processor-5000 (Less than buying individual tools)

62195 - Fine Cut Slicer - 1/16"  
62179 - Fine Cut Slicer - 5/32"  
35642 - Raw Food Shredder - 3/16"  
62181 - Standard Slicer - 3/8"  
62403 - Dicing Grid 1/2" x 1/2"  
62210 - Julienne Cutter - 3/16" x 3/16"  
60137 - Wall Rack Plates/Grids, 3 pc  
10037 - Cleaning Brush

**Price \$ 2,250.00**



## Industrial Food Processor-1000

Tabletop model of the Industrial Food Processor with a **capacity of up to 1000 lbs/hr.** The forward leaning design puts the feed head and pusher handle close to the operator. The feed head can be set open for loading using both hands. This design makes it easy to work the machine at full capacity for long periods without operator fatigue. When the feeder is opened the machine stops. Close the feeder and the machine re-starts automatically. **Includes Tube Insert for Coin Cuts**

### Features:

- Eliminates precutting
- 35 possible cutting tool variations
- Outstanding safety features
- Easy cleaning - can be hosed down
- Stainless steel and diecast aluminum










**Price \$ 3,995.00**

### SPECIFICATIONS

Model No.	Power Requirements Electrical	Dimensions H x W x D	Ship Wt. (lbs.)
40525	110-120v 1ph 60hz or 220-240v 1ph 60hz	24" x 13" x 13"	78



# Industrial Food Processor Replacement Blades, Attachments and Accessories

Blade and Grids (more available)		Thickness	Ref.	Price
	Slices firm products, such as root vegetables. Dices in combination with dicing grid	3/16"	62243	\$315.00
		1/4"	62244	\$315.00
		3/8"	62181	\$315.00
		5/8"	62255	\$525.00
		3/4"	62256	\$525.00
	Dices root vegetables and cabbage in combination with high dicing grids 1/2" and up.	1/2"	62216	\$375.00
	Crinkle cuts beets, cucumbers, carrots, and other hard products	3/16"	62245	\$380.00
	Slices firm and soft products, such as root vegetables, onions, leeks and cucumbers. Shreds cabbage.	1/64"	62191	\$335.00
		1/32"	62193	\$315.00
		1/16"	62195	\$315.00
		5/64"	62177	\$315.00
		1/8"	62198	\$315.00
		5/32"	62179	\$315.00
	Slices firm and soft products--root vegetables, onions, leeks, cucumbers, tomatoes, apples, citrus fruit, and mushrooms. Shreds lettuce and cabbage.	1/4"	62201	\$315.00
		3/8"	62204	\$315.00
		5/8"	62320	\$535.00
		3/4"	62322	\$535.00
	For strip-cutting of root products, cucumbers, potatoes and more. 3/32" - matchstick potatoes and carrots 5/64" x 1/4" - shredded cabbage 3/8" for french fries.	3/32"x1/4"	62219	\$360.00
		3/16"	62210	\$360.00
		1/4"	62213	\$360.00
		3/8"	62220	\$360.00
	Dices root vegetables, fruit, potatoes, cabbage, carrots, cucumbers, tomatoes, apples, with standard slicer, dicing cutter or fine cut slicer.	1/4" x 1/4"	62400	\$525.00
		5/16" x 5/16"	62401	\$525.00
		3/8" x 3/8"	62402	\$525.00
		1/2" x 1/2"	62403	\$525.00
	Use only in combination with 5/8" and 1" standard slicer or fine cut slicer.	5/8" x 5/8"	62407	\$565.00
		3/4" x 3/4"	62408	\$565.00
		1" x 1"	62409	\$565.00
	Cuts straight french fries in combination with the 3/8" standard or fine cut slicer	3/8"	62231	\$590.00
	Shreds carrots and cabbage.	1/16"	35639	\$360.00
		5/64"	35640	\$360.00
		1/8"	35641	\$360.00
		3/16"	35642	\$360.00
		1/4"	35643	\$360.00
		5/16"	35644	\$360.00
		3/8"	35645	\$360.00

## A SAMPLE OF AVAILABLE BLADES



### Stainless Steel Cart with Container

With lockable wheels and adjustable level for the included container. The frame retaining the container can be raised to a position in which it is parallel with the cart handle. The cart is good for transporting bags of potatoes, cabbage, etc.  
Model No. 40721 - **\$ 970.00**

## ATTACHMENTS



**1. Feed Hopper**  
Continuous bucket feeding/cutting of potatoes, onions, mushrooms, etc. Complete with Feed Cylinder (#3035)

Model No. 33329 - **\$ 4,150.00**



**2. Push Feed Attachment, manually operated**  
Fast and easy feeding of cabbage, lettuce, carrots and other foods that require feed pressure. Needs to be coupled with Feed Cylinder - Model No.3035

Model No. 33331 - **\$ 1,685.00**

Model No. 3035 - **\$ 1,795.00** (see below)




**3. Feed Cylinder**  
Type A--used with the Feed Hopper  
Type B--used with manual pusher, pneumatic pusher and 4-tube insert.

Model No. 3035 - **\$ 1,795.00**



**4. 4-Tube Insert**  
For full control during oriented cutting of cucumbers, leeks, tomatoes, citrus fruit, etc. Use with Feed Cylinder

Model No. 33330 - **\$ 1,355.00**



**5. Push Feed Attachment, pneumatic** For automatic feeding of cabbage, lettuce, carrots and other foods that require feed pressure. Use with Feed Cylinder

Model No. 33332 - **\$ 5,295.00**

### Replacement Ejector Plate

Model No. 3086 - **\$ 58.30**

## Batch Abrasive Potato Peeler

This heavy duty peeler is ideal for most firm products such as potatoes, beets, carrots, etc and is designed to peel small and large products. It has a removable abrasive (#16 grit) coated liner inside the main body. The batch running time can be preset for consistent operation. This Batch Peeler is mounted on 2 rigid casters and 2 legs. An easy grip handle allows the unit to be tilted backward on the wheels and moved to another location.

### Features:

- Stainless steel construction
- Built-in timer prevents over-peeling and waste
- Capacity is approximately 40-50 pounds
- Lower disc plate easily removed for cleaning.
- Removable drain basket to collect solids

**CALL FOR QUOTE**



SPECIFICATIONS			
Model No.	Power Requirements Electrical	Dimensions H x D	Ship Wt. (lbs.)
TNT50250	230v 60hz/3ph - 1/2hp	20" x 19"	350

## 60 lb. Abrasive Batch Peeler

Peels up to 60 lbs of potatoes in approximately three minutes. This system removes peels using a water rinse-off inlet line located inside the peeling chamber. Potatoes are clean and ready for cutting, eliminating the laborious task of hand peeled potatoes or refilling the chamber on a more frequent basis. Extra heavy duty food safe design for the most demanding applications.

### Features:

- Stainless steel construction
- Large drum for big batches
- Capacity is approximately 60 pounds
- Heavy duty food safe design

**CALL FOR QUOTE**



SPECIFICATIONS			
Model No.	Power Requirements Electrical	Dimensions H x D x L	Ship Wt. (lbs.)
PLR 60	120v 1ph 2hp	51.25" x 29.5" x 29.5"	590

## Potato Peeler

Brings economy and efficiency in preparing potatoes, carrots and other root vegetables. Hand peeling can take up to half an hour to peel 20 pounds of potatoes with up to 35% waste. The Potato & Carrot Peeler can do the same job in 2 to 3 minutes and cut the waste to less than 10%. **Includes Durable Peeling Disc**

**Price \$ 1,995.00**

### Features:

- Stainless steel construction
- Built-in timer prevents over-peeling and waste
- Quick easy lock-door
- Extended discharge chute, minimizes splashing
- Operates on mobile stand, counter or table

SPECIFICATIONS			
Model No.	Power Requirements Electrical	Dimensions H x D	Ship Wt. (lbs.)
1120500	115v AC/60-1 - 1/3hp	27" x 15 1/4"	86

**EQUIPMENT STANDS** - Stainless Steel with locking casters are available



## air-driven Broccoli Floretter

Easy to operate and very reliable, the air-driven Broccoli Floret Machine is 2 to 4 times faster than manual cutting. Simply load two heads of broccoli into the machine slots and push the buttons. The machine does the rest, removing unwanted stems and cutting the head into perfect florets. The air-driven Broccoli Floret Machine is designed so the user has to use both hands to load the broccoli heads and then must use both hands to active the machine. **Floretts drop into a tote or conveyor. Also available in a Single Head**


### Features:

- Stainless Steel Construction
- Wash-down Safe
- Increases Yield
- Button Operated

**CALL FOR QUOTE**

### SPECIFICATIONS


Model No.	Power Requirements Air	Dimensions H x W x D	Ship Wt. (lbs.)
ERBMF2	40 cycles 100 psi 16 cfm	12" x 12" x 9.5"	60



One person on the production line can cut by hand, approximately 10 heads of broccoli per minute while the dual head air-driven Broccoli Floretter can cut approximately 40 heads per minute.

### Broccoli Floret Sorting Conveyor

with Buffalo Grill Size Separator. Florets fall directly onto Buffalo Grill (small piece separator) small pieces fall through into tub, and larger sized pieces fall down Grill Chute onto Conveyor for Inspection.



**CALL FOR QUOTE**



26" wide x 44" Tall x 120" long,

### Features:

- Stainless Steel construction
- 3" tall Side Guide Rails, Protective Side Panels
- I Series 800 Interlock Belt Food Grade Wash Safe
- Discharge Chute
- Electrical Panel with VFD Adjustable Speed Motor

**Floretter Stand** - Stainless Steel. 36" x 24" x 6"  
Ship Wt. 27 lbs. Does not include brute or tote.

Includes: Stand for Broccoli Floretter with Mount elevated for easy access to side table. Feet are adjustable height.

**CALL 800-786-8455 or E-mail [info@charliesmachineandsupply.com](mailto:info@charliesmachineandsupply.com)**



## Carousel Slicer - Dual Blade

Great for onion and other vegetables or fruit. Peeled product is placed in top-holes; top-holes rotate to safety guard and are then dropped to slicer blades. The produce is perfectly sliced to your desired thickness. This Carousel Slicer can have from 8 to 12 holes, and holes range from 3" to 6" according to your needs. Easily adjustable from 1/8" to 3/4" slice thickness. The slicing knives are 10" in dia. and rotate at 200 r.p.m. **Each slicer top is built according to your needs. ALSO AVAILABLE - SINGLE BLADE CAROUSEL SLICER**

**CALL FOR QUOTE**

### Features:


- 304 stainless steel construction
- 400 stainless steel slicing knives
- Fully adjustable 1/8" to 3/4" slice thickness
- Slices up to 780 lbs. per hour

**PERFECT FOR ONIONS  
AND OTHER  
VEGETABLES OR FRUIT**

### SPECIFICATIONS

Model No.	Power Requirements Electrical	Dimensions H x W x D
G-OS	120v - 1 phase	52" x 36" x 36"

**See page 5 for both the manual onion slicer and manual top & tail**



## Onion Top and Tail Processor

**Tops and tails any size onion** - from PeeWee to Colossal sizes. This Onion Top and Tailer is easy to adjust to accept Onions from 2" to 6" in diameter with little or no adjustments to the processor. It can top and tail about 80 onions per minute with specially designed cups that hold onions for topping and tailing while preserving the skin without creating cuts or groves.

**CALL FOR QUOTE**



### Features:

- Stainless steel construction
- Wash-down safe
- Labor saving
- Peels up to 80 onions per minute
- Safety switches

**See next page for Onion Top and Tail Peeler System**

### SPECIFICATIONS

Model No.	Power Requirements Electrical	Dimensions H x W x D
T-OPP	330/460v - 3 phase 2 hp	60" x 36" x 96"

## Onion Peeler

Peels onions gently and accurately. The cutting bed cuts the peels loose, then the rollers and blowing air strips them away. There is no water used in the peeling process. The onions are beautifully peeled and ready for use. This peeler allows you to top and tail before you peel, or you can top and tail after you peel for an increased yield. The Onion Peeler is easy to operate, reliable and efficient.



### Features:

- 304 stainless steel construction
- Fully adjustable speed control
- Electric drive
- Peels up to 4,000 lbs. per hour

**CALL FOR QUOTE**

**GO TO OUR  
WEBSITE FOR  
VIDEO DEMO**

### SPECIFICATIONS

Model No.	Power Requirements Electrical	Dimensions H x W x D	Air Requirements
ON-PE	330v/460v 3 phase	96 1/2" x 36" x 37"	90 p.s.i. at 200 c.f.m.

## Pictured below - Onion Top and Tail with Onion Peeler

The perfect onion processing line for your onions - combines an Onion Top and Tail with the Onion Peeler. The time saving and labor saving way to process onions. It tops and tails the onion, then automatically drops the onion into the peeler.



**THIS COMBINATION  
DOES IT ALL!  
TOPS TAILS & PEELS!  
CALL FOR QUOTE**

**CALL 800-786-8455 or E-mail [info@charliesmachineandsupply.com](mailto:info@charliesmachineandsupply.com)**



## Jr. Melon & Fruit Washer

Designed for washing and sanitizing the outside of melons. Wash travel length is 16' (two 8' lanes) with stainless steel spray bars, adjustable spray nozzles and push-down paddle system that completely submerge the melons for better sanitation. Dwell time is 60 to 90 seconds. This system includes our built-in Dispenser that uses Calcium Hypochlorite cartridges (see pg 22) for sanitizing. Once fully washed, the melons are removed manually on the discharge side.

**Capacity: approximately 15 – 20 melons per minute.**

### Features:

- Stainless Steel construction
- Circulating Pump w/TEFC motor
- Jet Spray for maximum cleaning
- Submersion paddle system
- Built-in sanitation system

**CALL FOR QUOTE**



### SPECIFICATIONS

Model No.	Power Requirements Electrical	Dimensions H x W x L	Ship Wt. (lbs.)
GER-MW	230v 3 phase 2 hp pump motor	34" x 52" x 108"	800




## Barrel Washer

Washes and removes stones and sand from virtually all leafy products. Product is placed into a 20 Gallon Basket where gushing water washes the product and dislodge all foreign particles; this process is done in 3 minutes cycles. A hydrosive filter removes unwanted particles from the circulating water. 304 stainless steel construction.

Comes with a bucket drip stand & pan

**CALL FOR QUOTE**

- Dimensions: 167.7 cm L x 76.2 cm W x 167.7 cm H
- Capacity: 25 to 50 Kg. per cycle.  
500 to 600 Kg. per hour.



**CHECK OUT OUR WEBSITE  
FOR MORE PRODUCTS AND  
VIDEOS DEMOS**

## Soak Tank

This stainless steel soak tank or holding tank is ideal for soaking vegetables and fruits. You can use it for peeled potatoes or carrots and is great for small batches of cut fruit. Use a mesh bag or a plastic container with holes to put in the produce and take out. It is very versatile and can be used with many different products.

**CALL FOR QUOTE**



[www.charliesmachineandsupply.com](http://www.charliesmachineandsupply.com)



## Vegetable & Fruit Wash

Versatile and inexpensive, this Stainless Steel wash is designed to handle a variety of products. Circular flowing water is controlled by Valves on the sides of the tank, allowing you to increase or decrease the intensity of flow for a more thorough wash. Air Holes on the inside of the tank assist the spray nozzles to obtain a more effective circulation of product. The open hole Flow-through Belt and Discharge Conveyor easily lifts out for cleaning. At the bottom of the tank is a lift-out filter that removes most small particles from the wash. An Over-Flow Side Screen Filter also helps in the removal of small unwanted material. Capacity: 880-1100 bls/hour




**CALL FOR QUOTE**

### SPECIFICATIONS

Model No.	Power Requirements Electrical	Dimensions H x W x L
VFWASH	220v 3 phase 60Hz	53" x 36" x 118"

## Single Washer

Wash System, Single Tank (tank width is 24") with 18" wide KVP 38% Open Mesh Conveyor Belt, Hydrosive Filtering System, Stainless Steel Sanitary Spray Bar Tubing, Stainless Steel Pipe Fittings with Removable Nozzles for Cleaning, 1Hp Stainless Steel Sanitary Pump. 1/2 Hp Conveyor Motor and Gearbox housed in Stainless Steel Box, Lift-Out Conveyor for Washing, Hookup Inlet for Cold Water Source. Sanitation in-line dispenser is optional using Klorman Calcium Hypochlorite dispenser built-within the Spray Bar System or using Pulse System 3 (ORP & pH) Automated Sanitation system.



**Dimensions:** 120" x 24" x 30"  
(overall width 32" with motors) Electrical  
230V - 3 phase or 460V - 3 phase.

**CALL FOR QUOTE**

**DON'T SEE WHAT YOU WANT  
WE CAN CUSTOM BUILD IT  
FOR YOU**

### SPECIFICATIONS


Model No.	Power Requirements Electrical	Dimensions. L x D x W
G-SWASH	230v 3Ph 1hp	120" x 24" x 30"

**CALL 800-786-8455 or E-mail [info@charliesmachineandsupply.com](mailto:info@charliesmachineandsupply.com)**

## Spray & Wash Conveyor for Vegetables & Fruits w/Chlorination System

This low cost system is designed to wash & sanitize a wide range of products. It also provides room for product inspection. As product moves along the conveyor; it is inspected and then moves under overhead spray bars and is sprayed with the chlorinated water to sanitize and to remove particles of dirt, bugs and other unwanted material. The flow control valves allow for fully controllable spray for just the right wash (gentle or strong spray) and will provide ample water flow to do its job.

The Spray & Wash Conveyor System will spray wash most products, especially those that tend to float in other pan wash systems. (Spray bars can be mounted above and below the belt for heavier wash requirements).



**CALL FOR QUOTE**

### Features:

- Custom Built to your needs
- Heavy-duty Stainless Steel construction
- Extra hookup for wash-down hose
- Variable Speed Drive with Control Panel
- KVP Belt with 30% open area
- Built-in sanitation system

### SPECIFICATIONS

Model No.	Power Requirements Electrical	Dimensions H x W x L	Ship Wt. (lbs.)
GER-SPC	230v/460v 3 phase 1 hp	34" x 18" x 144"	400

## Jr. Double-Wash

This economical wash system is designed to meet the needs of processors who require more frequent, smaller type loads yet can handle larger size jobs when required. Originally designed for more effectively washing chopped or leaf lettuce, this two-wash tank, two-conveyor system with a separate final rinse will gently roll, separate, clean and sanitize most produce. It



includes our standard Klorman Calcium Hypochlorite Dispenser for sanitizing your produce. The Jr. Double-Wash is only 10' long and 2' wide. This machine is equipped with a quick remove dewatering pan and filter screen that remove bugs and other unwanted material. Each of the two conveyors lift out for easy cleaning.

**Features:** **CALL FOR QUOTE**

- Heavy-Duty Stainless Steel
- Single Tank Version also available
- Flow control valves
- Filter Screen
- Spray bars are rotatable.
- Stainless Steel Pump
- Ideal for Chopped or Loose Leaf Lettuce



# Continuous Feed Air Knife Drying Conveyor

is a **CUSTOM BUILT** drying system for Lettuce and Mix Products - Adjustable and designed with 1-3 Belt turnovers to flip product, Complete with 3-5 Air Knife Stations. Variable speed belt motor; VFD on a 5-7.5 hp TEFC Fan Blower; 1/2 hp TEFC VFD Conveyor Motor; Gearbox & Electrical On/Off Panel; Composite Bearings; Fiberglass Control Panel Box. A Flex or Lexon Cover is over Air Knives to contain flying pieces.

**CALL FOR QUOTE**

**Pictured: Dimensions: 36" x 46" x 18" 120"**

**Power Requirements: 230/460 3ph 60Hz**



## Industrial Food Dryer



This dryer is designed to dry 40 to 50 lbs. per load of spinach, cole slaw, lettuce, carrots, celery and other vegetables. The built-in timer allows you control the spin time. Spins at about 700 rpm, this dries the product without damage. **Includes 20 gallon standard white basket.** Extra Baskets Available

### Features:

- 304 stainless steel construction
- Wash-down safe duty motor
- Non-contact safety interlock switch
- Water is channeled to 2" npt drain
- Adjustable legs

**CALL FOR QUOTE**

**Larger Size Spin Dryers Available**

### SPECIFICATIONS

Model No.	Power Requirements Electrical	Dimensions H x D	Ship Wt. (lbs.)
TSIFD	208v / 230v - 1 hp 3 phase stainless steel motor	36" x 39"	350

## Veg Dryer

Perfect for small runs of vegetables. 20 to 40 lbs per load. Great for leafy greens. Stainless steel body and lid. **Includes 20 gallon white basket.**

**Price \$ 2,795.00**

### SPECIFICATIONS

Model No.	Power Requirements Electrical	Dimensions H x W x D	Ship Wt. (lbs.)
601559	110v	32 1/2" x 27" x 27"	80



**CALL 800-786-8455 or E-mail [info@charliesmachineandsupply.com](mailto:info@charliesmachineandsupply.com)**



## Klorman Chlorine Dispenser - for Waterlines

An in-line dispenser that puts dry Calcium Hypochlorite directly into the water line. Because the **Klorman** utilizes calcium as a vehicle for the chlorine, it is self-buffering when added to water. This keeps the pH of the water at a level where more active chlorine is available for disinfecting. As a calcium-based product, it actually participates in structurally strengthening cell walls while occupying and protecting vulnerable enzyme sites from pathogens. The **Klorman** also brightens tissue color, firms texture, and preserves and extends the shelf life of all your fresh cut produce. Based on research at the University of Illinois, the **Klorman** system has proven to be 120 times more effective in killing bacteria than liquid bleach.

### Features:

- One step wash-down operation
- No bleach mixing - pH stable
- No harmful chemical residues
- Non-corrosive - No chlorine odor
- Pressure range 5 psi - 60 psi

### Price:



#### Dispenser:

**KSD100 \$ 245.00**

#### Cartridges:

**HSC100 \$ 480.00**

**(16 per cs)**



## Automated Chlorination Flume System


For recycling open flume processed water. Water from the flume is circulated with Sodium Hypochlorite and recycled back into the flume. Will fit your current flume system.

## Water Filtration System

Particulates in your flume/wash system will consume chlorine, degrade, taste bad, and clog up your chiller system so it doesn't perform efficiently. The Water Filtration System is designed to remove particulates from water down to 200 microns. It allows reuse of water at a high volume rate with less chlorine use and gives a cleaner, better product. Can to handle from 200 GPM to 1500 GPM and can be installed easily with either a gravity or pumping system.

**Dimensions: 76" L x 33" W x 36"H**

**CALL FOR QUOTE**



### Features:

- Self cleaning
- Chlorine and water savings
- Stainless Steel
- Gravity or self-contained CIPreservoir and pump
- Screens can be easily removed for cleaning

## Pack Table with Digital Scales

Our Pack Tables with scales is designed with a remote digital display mounted on the top to show the weight as the operator bags. Easy to use. Place the bag over the 6" funnel and the bag sits on the scale. The operator then pulls product into the discharge funnel until the remote digital display reaches the desired weight.

**Includes digital remote display scales.**

**CALL FOR QUOTE**


**Available in One, Three, Four or Six Hole. We can customize to your needs**

### Features:

- 304 stainless steel
- 6" adjustable legs
- Adjustable scale platforms for most bag heights
- Digital scales with remote mount displays

### SPECIFICATIONS

Model No.	Dimensions H x W x D	Ship Wt. (lbs.)
DP-2	40" x 72" x 54"	200



**Rotary Turntable**

**Standard on all our conveyors**

- **Stainless Steel**
- **Food Grade Belts**
- **Heavy Duty Construction**
- **Wash Down Safe**
- **Custom to your needs**

**CALL FOR QUOTE**



**Inspection**



**Incline Feed Hoppers**

## 14 Head Automatic Scale

Application is for a multitude of dry and process foods and fresh foods.


### Features:

- Digital sensors enhances the speed, precision and anti-jamming capacity
- Statistical Data Inspect on screen and via optional printer output.
- Stainless Steel-Two levels hopper
- Color Display 10.4" LCD with digital input keypad
- Weight Range - 10-1000g
- 120 bags/minute

**CALL FOR QUOTE**

### SPECIFICATIONS

Model No.	Power Requirements Electrical	Dimensions H x D x W	Ship Wt. (lbs.)
Scale-14	220v	40" x 38" x 55"	890



## Vertical Form Fill Seal Bagger

Application is for a multitude of dry and process foods and fresh foods.

**CALL FOR QUOTE**

### Features:

- PLC controlled system with color touch screen interface
  - Precise positioning with servo film transporting system and end sealing systems to insure excellent performance, high speed and accurate packing
  - Complete automatic alarm protection function to insure minimize loss
  - English or Metric can be selected
  - Numerous Packing style including gusset; bag with hole; bag with tear notch; Chain; Vacuum bags, etc
  - Can be matched with multihead weighters; volumetric cup fillers; manual bucket conveyors; auger fillers, etc
- Air flushing system
  - Tear notch device
  - Nitrogen gas flushing
  - Material stopper
  - Gusset device
  - Bag support
  - Air expeller
  - PE sealing system
  - Hole punch device
  - Vacuum packing device
  - Flip device
  - Static charge eliminator
  - Safety switch and relay
  - 4 lines folding device
  - Safety device
  - Film tracking device



### Technical Data:

- Max. film width 600mm /23 5/8"
- Bag width 90-285mm/3/5" - 11.25"
- Bag length 50-330mm/ 2" - 13"
- Packing Speed Max. 100 bpm
- Power Supply 220V / 60 Hz / 4.3 kw
- Air Consumption 7 cfm
- Humidity 90% or less

**CHECK OUT OUR WEBSITE  
FOR MORE PRODUCTS AND  
VIDEO DEMOS**



## Horizontal Band Sealer w/Built-In Code Printer


This sealer comes standard with Code Printer and Built-in Conveyor. The Tilting Seal Head feature allows tilt up to a 30-degree angle, which makes this sealer ideal for most any produce including those with some liquid in the package. It has a full range of adjustments on both the stand and conveyor. Temperature is controlled by a solid state controller for consistent seal quality regardless of throughput.

**CALL FOR QUOTE**

### Features:

- All Stainless Steel Construction
- Seal Head & Conveyor Tilt up to 30 degree
- Solid State Temperature Control
- Standard Hot Stamp Code Imprinter
- Fully adjustable Stand & Conveyor

SPECIFICATIONS			
Model No.	Seal Speed Seal Width	Dimensions H x W x D	Ship Wt. (lbs.)
HBS880	0-320"/min 5/26" or 8mm	39" x 17" x 13" Conveyor: 43" x 8"	190



**CHECK OUT OUR WEBSITE  
FOR MORE PRODUCTS AND  
VIDEOS DEMOS**

## Vacuum Pack Sealer

This pneumatic tabletop vacuum sealer is made from high grade stainless steel and heavy-duty anodized aluminum and comes standard with a Venturi vacuum pump. Temperature control allows sealing of such challenging materials as Tyvek, Polyester, Nylon, Teflon, Vinyls, etc. A new color touch screen. The Retractable Nozzle Vacuum System uses two nozzles that extend out in front of the seal bar during loading and vacuum cycle and then retract during the sealing cycle. It comes in 4 sizes on the standard body--21", 26", 31", 36", and two sizes in the large body--51", 61". This sealer is an unequalled product for both its quality and price. Optional stainless steel stand and shelf available.  
80 PSI / 5.7 CFM

### Features:

- 1/4" standard upper & lower heating elements
- New PLC/TS Control System
- Upper and lower heat bars
- Graphic screen control
- Built-in safety seal bar.
- Single-parted exhaust
- Venturi vacuum pump



**CALL FOR QUOTE**

[www.charliesmachineandsupply.com](http://www.charliesmachineandsupply.com)



Charlie's Machine & Supply, Inc.  
2525 Arapahoe Av E-4-136  
Boulder, CO 80302

Phone: 800-786-8455 or 303-443-9595  
www.charliesmachineandsupply.com  
email: info@charliesmachineandsupply.com

PRSRT STD  
US POSTAGE  
PAID  
BOULDER, CO  
PERMIT NO. 94

**CMS**

# C H A R L I E ' S M A C H I N E & S U P P L Y , I N C .



**A CLICK AWAY FROM  
OUR VIDEO LIBRARY**

**STATE-OF-THE-ART-EQUIPMENT TO FIT YOUR NEEDS**